



technical specification pb-8002 protocole®

PHYSICAL DIMENSIONS

10 panels PB-8002

Standard Dimensions Outside: 171,4 cm x 194,5 cm x 173,5 cm

Acoustic Environment: Surpasses ISO-4043 International Standard (last version)

STANDARD	DIMENSION	WEIGHT
Standard panel (3)	85,7 cm x 194,5 cm	10,00 kg
Window panel (4)	85,7 cm x 194,5 cm	14,10 kg
Door panel (1)	85,7 cm x 194,5 cm	17,00 kg
Roof panel (2)	85,7 cm x 173,5 cm	7,70 kg
Total booth Weight		118,80 kg

- **Standard outside color:** Dark grey or light grey (ABS plastic finish)
- **Standard inside color:** Light grey or dark blue
- **Assembly:** No tools required
- **Approx. Assembly time:** 10 Minutes (2 persons)

STORAGE & SHIPPING:

Included (1) ATA-300 shipping cases on wheels (52,5 Kg)
CASE OUTSIDE - DIM. : 207,1 x 45,72 x 109,22 cm

AIR VENTILATION:

Included (2) H.D. 55 CFM silent whisper 110 or 220 volts fan assembly units CSA approved with (2) electric outlets for accessories.


OPTIONS:

Easy to install working table, double Plexiglas® window, air conditioning
Sound proof flooring, interior division partition systems.

CONSTRUCTION:

Each panel is built with ABS plastic exterior with special isolated soundproof fibreglass panel. Material is fire retardant UL-723.
Inside covering is made with decorative textile 100 % polyester.
Cotton of 9 mm. Woven density and weight of 60 gr. Per meter.
Framing is PVC extrusion with unique connecting concept with industrial Velcro for easy assembly without tools.







technical specification

tb-0070

PHYSICAL DIMENSIONS

Standard Dimensions Outside: 120 cm x 61 cm x 61 cm

Acoustic Environment: n/a

STANDARD	DIMENSION
2 panels (portable)	120 cm x 61 cm x 61 cm
Total booth Weight	23,5 kg

- **Standard outside color:** Light grey
 - **Standard inside color:** Dark blue *** Other colours available on request at additional cost.
- Assembly:** No tools required
Approx. Assembly time: 5 Minutes (1 person)

STORAGE & SHIPPING: **Soft side carrying case**

AIR VENTILATION: Open back.

OPTIONS: Double Plexiglas® ATA shipping case.

CONSTRUCTION: Each panel is built with exterior covering of expanded vinyl with a special sound barrier of acoustic foam and MIL-B131-H laminating aluminium foil. The inside covering is made with decorative 100% polyester cotton 9 mm woven density, framing is high density PVC extrusion with Velcro, no tools needed for assembly.





**WHISPER CUBE
TB-0070**

